

Prepared for:

**CBG Body Cream**
**Color Up**

Batch ID or Lot Number: <b>042822</b>	Test: <b>Microbial Contaminants</b>	Reported: <b>8/9/21</b>	Location: 1448 W Ceder Ave Denver, CO 80223
--	--	----------------------------	---

Matrix: Finished Product	Test ID: T000155691	Started: 8/5/21	USDA License: N/A
-----------------------------	------------------------	--------------------	----------------------


Status: N/A	Methods: TM25 (qPCR) TM24, TM26, TM27(Culture Plating): Microbial (Colorado Panel)	Received: 08/04/2021 @ 02:04 PM	Sampler ID: N/A
----------------	---	------------------------------------	--------------------

**MICROBIAL CONTAMINANTS DETERMINATION**

Contaminant	Method	LOD	LLOQ	ULOQ	Result	Notes
<b>Total Aerobic Count*</b>	TM-26, Culture Plating	10 <sup>2</sup> CFU/g	10 <sup>3</sup> CFU/g	1.5x10 <sup>5</sup> CFU/g	None Detected	Free from visual mold, mildew, and foreign matter
<b>Total Coliforms*</b>	TM-27, Culture Plating	10 <sup>2</sup> CFU/g	10 <sup>2</sup> CFU/g	1.5x10 <sup>4</sup> CFU/g	None Detected	
<b>Total Yeast and Mold*</b>	TM-24, Culture Plating	10 <sup>2</sup> CFU/g	10 <sup>2</sup> CFU/g	1.5x10 <sup>4</sup> CFU/g	None Detected	
<b>E. coli (STEC)</b>	TM-25, PCR	1 CFU/25 g	NA	NA	Absent	
<b>Salmonella</b>	TM-25, PCR	1 CFU/25 g	NA	NA	Absent	

  
 Brianne Maillot  
 8/9/2021  
 12:48:00 PM

PREPARED BY / DATE

  
 Jackson Osaghae-Nosa  
 8/9/2021  
 2:50:00 PM

APPROVED BY / DATE

**Definitions**

LOD = Limit of Detection | LLOQ = Lower Limit of Quantitation | ULOQ = Upper Limit of Quantitation

 CFU/g = Colony Forming Units per Gram | STEC = Shiga Toxin-Producing *E. coli*

\* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples: 10<sup>2</sup> = 100 CFU  
 10<sup>3</sup> = 1,000 CFU  
 10<sup>4</sup> = 10,000 CFU  
 10<sup>5</sup> = 100,000 CFU

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.



CDPHE Certified



Certificate #4329.02